

INDEX TO VOLUME 61

Classified entries: Major subjects, key words, and results; botanical names (new names are in **boldface**); geographical areas; reviews, commentaries. Incidental references to taxa (including most lists and tables) are not indexed separately. Species appearing in Noteworthy Collections are indexed under name, family, and state or country. Authors and titles are listed alphabetically by author in the Table of Contents to the volume.

Agavaceae (see *Agave*)

*Agave deserti*, noteworthy collection from NV, 316.

Amaranthaceae (see *Froelichia*)

Aquatic plants of Yellowstone Nat. Park, 159.

Arizona (see *Carnegiea* and *Erigeron*)

Asparagaceae (see *Dichelostemma*)

Asteraceae: *Baccharis salicifolia*, riparian woodland zonation, 48; *Coreopsis tinctoria*, competition and niche requirements, 290; *Erigeron lemmonii* chromosome number and reproductive attributes, 9; variation in thistle seed characteristics and growth, 339.

Noteworthy collection: *Lorandersonia salicina* from NV, 316.

*Astragalus rattanii* var. *jepsonianus*, noteworthy collection from CA, 250.

*Baccharis salicifolia*, riparian woodland zonation, 48.

Boraginaceae: *Eremocarya*, recognition of two species, 259; *Phacelia*, phylogenies and chromosome evolution, 16.

New taxon: ***Nemophila hoplandensis***, 308.

*Bouteloua curtipendula* (see *Coreopsis*)

Bryoflora of NV, contributions toward, 253.

Cactaceae: *Carnegiea gigantea*, epidermal browning, girdling, damage and bird cavities in northern Sonoran Desert, 115; *Cylindropuntia* mortality and extreme drought in the Sonoran Desert, 126; *Discocactus*, morphology and development of sunken terminal cephalium, 194.

Noteworthy collections from CA: *Lophocereus schottii*, 414; *Opuntia* × *charlestonensis*, 411.

California: *Baccharis salicifolia*, *Salix gooddingii* and *S. lasiolepis*, riparian woodland zonation, 48; *Ceanothus otayensis*, soil chemistry and geographic distribution, 276; chaparral stem xylem cavitation vulnerability, 317; coastal prairie invasion by *Holcus lanatus*, 218; conifer foliar analyses on serpentine and gabbro soils in Klamath Mts., 77; *Cordylanthus tenuis* subsp. *palescens*, identification and taxonomic status, 64; Devil's Postpile Nat. Monument, CA, flora, 367; *Dichelostemma lacuna-vernalis*, morphologically distinct vernal pool terrain sp., 350; *Phacelia*, phylogenies and chromosome evolution, 16; *Quercus agrifolia*, *Q. douglasii* and *Q. lobata*, regeneration in central coastal CA, 1; *Quercus* serotiny, 151; riparian woodland plant zonation, 48; *Salix gooddingii* seed dispersal, 388; *Tritelia ixioides* subsp. *anilina*, biology in coniferous forest, Butte Co., 87; weedy vs. non-weedy species, functional traits, 328. New taxa: ***Carex xerophila***, 299; ***Ceanothus decornutus***, 399; ***Cylindropuntia chuckwallensis***, 231; ***Nemophila hoplandensis***, 308; ***Tritelia piutensis***, 227.

Noteworthy collections: *Astragalus rattanii* var. *jepsonianus*, 250; *Froelichia gracilis*, 413; *Lophocereus schottii*, 414; *Opuntia* × *charlestonensis*, 411; *Taxus brevifolia*, 148.

*Campylopus introflexus*, ecology and distribution of an introduced moss in western No. Am., 82.

***Carex xerophila***, new sp. from no. CA, 299.

*Carnegiea gigantea*, epidermal browning, girdling, damage and bird cavities in northern Sonoran Desert, 115. Cascade Range, OR: Fire effects in a montane wetland, 201.

*Ceanothus*: *C. otayensis*, soil chemistry and geographic distribution, 276.

New taxon: ***C. decornutus***, 399.

Chaparral stem xylem cavitation vulnerability, 317.

Chromosome counts: *Erigeron lemmonii*, 12.

Coastal prairie invasion by *Holcus lanatus* in CA, 218.

Colorado (see *Muscari*)

Conifer foliar analyses on serpentine and gabbro soils in Klamath Mts, CA, 77.

*Cordylanthus tenuis* subsp. *palescens*, identification and taxonomic status, 64.

*Coreopsis tinctoria*, competition and niche requirements, 290.

*Crataegus douglasii*, *C. gaylussacia* and *C. suksdorfii* stomata size and ploidy level, 177.

*Cryptantha* (see *Eremocarya*)

***Cylindropuntia chuckwallensis***, new sp. from CA; 231.

*Cylindropuntia* mortality and extreme drought in the Sonoran Desert, 126.

Cyperaceae (see *Carex*)

Desert plant community structure in Baja Calif., MEXICO, 105.

Devil's Postpile Nat. Monument, CA, flora, 367.

*Dichelostemma lacuna-vernalis*, morphologically distinct vernal pool terrain sp., 350.

Dicranaceae (see *Campylopus*)

*Discocactus*, morphology and development of sunken terminal cephalium, 194.

Editor's Report for Vol. 61, 417.

*Eremocarya*, recognition of two species, 259.

*Erigeron lemmonii* chromosome number and reproductive attributes, 9.

Fabaceae (see *Astragalus*)

Fagaceae (see *Quercus*)

Fire effects in a montane wetland in OR, 201.

Floras: Bryoflora of NV, contributions toward, 253; Devil's Postpile Nat. Monument, 367.

*Froelichia gracilis*, noteworthy collection from CA, 413.

Gabbro soil, foliar analyses of conifers on, 77.

*Hexalectris colemanii*, noteworthy collection from NM, 149.

*Holcus lanatus*, effect of simulated gopher disturbance on establishment in coastal prairie, 218.

Hyacinthaceae (see *Muscari*)

Hydrophyllaceae (see Boraginaceae)

Invasive plants: Variation in thistle seed characteristics and growth, 339; weedy vs. non-weedy species functional traits, 328.

Keil, David J., Vol. 61 dedicated to, 419.

Keys: *Carex* sect. *Acrocystis* of CA, 306; *Ceanothus*, erect with spiny leaves in northern San Francisco Bay region, 405; *Cryptantha micrantha* vars., 263; *Cylindropuntia* of USA with spiny fruit, 242; *Eremocarya* spp., 272; *Scouleria* in OR, 143; *Tritelia* spp. with stamens attached alternately at two levels, 230.

Klamath Mts., CA, conifer foliar analyses on serpentine and gabbro soils, 77.

*Lophocereus schottii*, noteworthy collection from CA, 414.

*Lorandersonia salicina*, noteworthy collection from NV, 316.

MEXICO: Baja California: geomorphic landforms and plant community structure and dominance in central desert region, 105.

Moss (see Bryoflora of NV, *Campylopus* and *Scouleria*) *Muscari neglectum*, noteworthy collection from CO, 251.

*Nemophila hoplandensis*, new sp. from CA, 308.

Nevada (see Bryoflora)

Noteworthy collections: *Agave deserti* and *Lorandersonia salicina*, 316.

New Mexico (see *Hexalectris*)

*Opuntia* × *charlestonensis*, noteworthy collection from CA, 411.

Orchidaceae (see *Hexalectris*)

Oregon: Fire effects in a Cascade Range montane wetland, 201.

New taxon: *Scouleria siskiyouensis*, 137.

Orobanchaceae (see *Cordylanthus*)

*Phacelia*, phylogenies and chromosome evolution, 16.

Plant zonation in riparian woodland in so. CA, 48.

Ploidy level and stomata size in Pacific NW *Crataegus*, 177.

President's Report for Vol. 61, 416.

Poaceae (see *Bouteloua* and *Holcus*)

*Quercus*: Regeneration of *Q. agrifolia*, *Q. douglasii* and *Q. lobata* in central coastal CA, 1; serotiny in CA, 151.

Regeneration (see *Quercus*)

Restoration: Weedy vs. non-weedy species functional traits, 328.

Reviews: *Annotated Checklist of the Vascular Plants of Santa Cruz County, California. Second edition* by Dylan Neubauer, 244; *Baja California Plant Field Guide. 3rd Edition* by Jon P. Rebman and Norman C. Roberts, 246; *Flora of the Four Corners Region. Vascular Plants of the San Juan River Drainage: Arizona, Colorado, New Mexico, and Utah* by Kenneth D. Heil et al., 248; *Intermountain Flora: Vascular Plants of the Intermountain West, U.S.A.* by N. H. Holmgren, P. K. Holmgren, J. L. Reveal and Collaborators, 146; *Trees in Paradise: A California History* by Jared Farmer, 407; *The Drunken Botanist. The Plants that Create the World's Great Drinks* by Amy Stewart, 144; *Wildflowers of Orange County and the Santa Ana Mountains* by Robert L. Allen and Fred M. Roberts, Jr., 245.

Rhamnaceae (see *Ceanothus*)

Rosaceae (see *Crataegus*)

Riparian woodland, plant zonation in so. CA, 48.

Salicaceae (see *Salix*)

*Salix*: *S. gooddingii* and *S. lasiolepis* riparian woodland zonation, 48; *S. gooddingii* seed dispersal, 388.

*Scouleria siskiyouensis*, a new rheophytic moss of southern OR, 137.

Scouleriaceae (see *Scouleria*)

Seed dispersal in *Salix gooddingii*, 388.

Seed retention (see Serotiny)

Serotiny in CA *Quercus*, 151.

Serpentine: Endemic *Ceanothus decornutus*, 399; foliar analyses of conifers on, 77.

Soil chemistry and tree growth, 77.

Sonoran Desert (see *Carnegiea* and *Cylindropuntia*)

Stomata size and ploidy level in Pacific NW *Crataegus*, 177.

Taxaceae (see *Taxus*)

*Taxus brevifolia*, noteworthy collection from CA, 148.

Themidaceae (see *Dichelostemma* and *Tritelia*)

Thistle, variation in seed characteristics and growth, 339.

*Tritelia ixioides* subsp. *anilina*, biology in coniferous forest, Butte Co., CA, 87; *T. piutensis*, new sp. from so. Sierra Nevada, CA, 227.

Vernal pools (see *Dichelostemma*)

Water stress: Stem xylem cavitation vulnerability of chaparral spp., 317.

Weedy vs. non-weedy species functional traits, 328.

Yellowstone Nat. Park, new aquatic plant records, 159.